

Specification of installation

In order to ensure safety use, please notice the following items:

. Read and understand the whole Specification.

. Suitable for the use of 110~130V and 60Hz.

. Please wear gloves as installment and avoid rot on the surface of plating.

. Must be installed on the fixed pieces and be checked annually.

. Please turn off the lighting source by soft cloth as cleaning prohibited to use of rotted detergent.

. Please connect with the local sales service center when there are any abnormality.

Dual Mount

Cable Suspension Mount and Flush Mount Cable Suspension Instructions






Figure B



- 1 Mount shade to fixture see figure B
- 2 Mounting bracket
- 3 Mounting bracket screw
- 4 Canopy/Wire connection
- 5 Canopy mounting screw
- 6 Hanging Crystals
- 7 Complimentary G9 Bulb
- 8 Adjustable Hanging cable

Item # HF1501






Specification of installation

In order to ensure safety use, please notice the following items:

- . Read and understand the whole Specification.
- . Suitable for the use of 110-130V and 60Hz.
- . Please wear gloves as installment and avoid rot on the surface of plating.
- . Must be installed on the fixed places and be checked annually.
- . Please turn off the lighting source by soft cloth as cleaning prohibited to use of rotted detergent.
- . Please connect with the local sales service center when there are any abnormality.

Dual Mount

Cable Suspension Mount and Flush Mount Flush Mount Instructions




- 1 Mount shade to fixture see figure B
- 2 Mounting bracket
- 3 Mounting bracket screw
- 4 Self-taping Screw
- 5 Wire connection Terminal
- 6 Screw to mount fixture to bracket
- 7 Hanging crystals
- 8 Complimentary G9 Bulb

Item # HF1501



Crystal hanging diagrammatic sketch



A
8PCS



B
9PCS



C
9PCS



D
8PCS



E
1PCS
TWO

Product coding: HF1501